

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S2    | 1802 | ((711/170,104,105).CCLS.) and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 13:21 |
| S1    | 2242 | (711/170,104,105).CCLS.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/05/19 13:21 |
| S3    | 4    | ((memory near3 controller) with (programmable near2 pin))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 13:30 |
| S4    | 1262 | ((memory) with ((program\$5 select\$4 configur\$5 change\$4)near2 pin))                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 13:48 |
| S6    | 1    | ((memory with controller) with (((dual multi) near4 (mode functgion)) with pin))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 14:00 |
| S7    | 81   | ((memory with buffered) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output control)))    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 14:03 |
| S10   | 642  | ((memory near controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output line)))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 14:04 |
| S9    | 1417 | ((memory near4 controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output line)))    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 14:04 |
| S8    | 3539 | ((memory near4 controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output control))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2004/05/19 14:04 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S11 | 607 | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (pin output<br>line)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:05 |
| S12 | 249 | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (pin line)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:07 |
| S13 | 34  | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (pin)))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:08 |
| S14 | 46  | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (pin (control adj<br>line))))                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:38 |
| S17 | 6   | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (mode pin<br>(control adj line)))) and buffered<br>and unbuffered | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:39 |
| S16 | 0   | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (mode pin<br>(control adj line)))) and bufferd<br>and unbuffered  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:39 |
| S15 | 266 | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (mode pin<br>(control adj line))))                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:42 |
| S19 | 814 | (memory with controller) same<br>((program\$5 select\$4 configur\$5)<br>with pin)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:49 |
| S20 | 142 | (memory adj controller) same<br>((program\$5 select\$4 configur\$5)<br>near4 pin)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 14:52 |
| S21 | 108 | ((memory adj controller) same<br>((program\$5 select\$4 configur\$5)<br>near4 pin)) and @ad <<br>"20010828"                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/19 15:06 |

|     |     |   |   |    |     |                  |
|-----|-----|---|---|----|-----|------------------|
| S23 | 977 | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:13 |
| S24 | 809 | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:14 |
| S26 | 1   | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered with memory) and (unbuffered with memory)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:15 |
| S25 | 1   | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered near4 memory) and (unbuffered near4 memory)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:15 |
| S28 | 340 | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (memory near5 type)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:18 |
| S27 | 31  | ((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered with memory)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 16:18 |
| S50 | 30  | (US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did. | US-PGPUB;<br>USPAT                                      | OR | OFF | 2004/05/19 17:39 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S29 | 3    | ((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (((chip adj select) cs) with ((multiplex\$2) mux)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/19 17:45 |
| S30 | 4    | ((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and ((clock) with ((multiplex\$2) mux))                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/19 17:56 |
| S31 | 5139 | ((clock with (cs (chip select))) with ((multiplex\$2) mux))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/19 17:57 |
| S32 | 483  | (memory adj controll\$3) and ((clock with (cs (chip select))) with ((multiplex\$2) mux)) and @ad < "20010828"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/19 17:58 |
| S33 | 67   | (memory adj control\$4) same ((clock with (cs (chip select))) with ((multiplex\$2) mux)) and @ad < "20010828"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/19 17:59 |

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S34 | 27 | (memory adj control\$4) same<br>((clock with (cs (chip adj select)))<br>with ((multiplex\$2) mux)) and<br>@ad < "20010828"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/19 18:00 |
| S36 | 2  | ((US-5968192-\$ or US-6298426-\$<br>or US-5860080-\$ or US-5375084-\$<br>or US-5826093-\$ or US-6681301-\$<br>or US-6530007-\$ or US-6035370-\$<br>or US-5884067-\$ or US-6684314-\$<br>or US-6229727-\$ or US-5893136-\$<br>or US-5694585-\$ or US-5005157-\$<br>or US-6625685-\$ or US-6499093-\$<br>or US-6473831-\$ or US-5860134-\$<br>or US-5768560-\$ or US-5740382-\$<br>or US-5721860-\$ or US-5652912-\$<br>or US-5621678-\$ or US-5522064-\$<br>or US-5418924-\$ or<br>US-5301278-\$).did. or<br>(US-5175836-\$).did. or<br>(US-20010000822-\$ or<br>US-20020147898-\$ or<br>US-20010054135-\$).did.) and<br>(unbuffered) | US-PGPUB;<br>USPAT                                      | OR | OFF | 2004/05/20 14:48 |
| S35 | 30 | (US-5968192-\$ or US-6298426-\$<br>or US-5860080-\$ or US-5375084-\$<br>or US-5826093-\$ or US-6681301-\$<br>or US-6530007-\$ or US-6035370-\$<br>or US-5884067-\$ or US-6684314-\$<br>or US-6229727-\$ or US-5893136-\$<br>or US-5694585-\$ or US-5005157-\$<br>or US-6625685-\$ or US-6499093-\$<br>or US-6473831-\$ or US-5860134-\$<br>or US-5768560-\$ or US-5740382-\$<br>or US-5721860-\$ or US-5652912-\$<br>or US-5621678-\$ or US-5522064-\$<br>or US-5418924-\$ or<br>US-5301278-\$).did. or<br>(US-5175836-\$).did. or<br>(US-20010000822-\$ or<br>US-20020147898-\$ or<br>US-20010054135-\$).did.                       | US-PGPUB;<br>USPAT                                      | OR | OFF | 2004/05/20 16:03 |
| S39 | 3  | (((((711/170,104,105).CCLS.) and<br>@ad < "20010828") and (buffered<br>and unbuffered))) and differential  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/20 16:04 |
| S38 | 7  | (((((711/170,104,105).CCLS.) and<br>@ad < "20010828") and (buffered<br>and unbuffered)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/20 16:04 |

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S40 | 1  | ((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (differential)            | US-PGPUB; USPAT                             | OR | OFF | 2004/05/20 16:21 |
| S37 | 0  | ((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (differential near clock) | US-PGPUB; USPAT                             | OR | OFF | 2004/05/20 16:21 |
| S41 | 49 | ((memory near3 controller) with ((program\$5 select\$4 configur\$5)near2 pin))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2004/11/10 18:57 |
| S43 | 5  | ((memory with controller) with (((dual multi) near4 (mode function)) with pin))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2004/11/10 18:59 |
| S45 | 67 | ((memory adj controller) same ((program\$5 select\$4 configur\$5) near4 pin)) and @ad < "20010828") and (memory with type)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2004/11/10 19:02 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S44 | 27  | (memory adj control\$4) same<br>((clock with ("cs" (chip adj<br>select))) with ((multiplex\$2) mux))<br>and @ad < "20010828"          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 19:03 |
| S46 | 146 | (memory adj control\$4) same<br>((clock with ("cs" (chip adj select)<br>control))) with ((multiplex\$2)<br>mux)) and @ad < "20010828" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 19:04 |
| S47 | 91  | ((memory near3 controller) with<br>((program\$5 select\$4 configur\$5<br>change\$4)near4 pin))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 19:15 |
| S42 | 49  | ((memory near3 controller) with<br>((program\$5 select\$4 configur\$5<br>change\$4)near2 pin))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 19:15 |
| S49 | 22  | "5375084".URPN.   | USPAT   | OR | ON | 2004/11/10 19:32 |
| S48 | 5   | ("4797850"   "5157384"  <br>"5212666"   "5270964"  <br>"5272664").PN.   | USPAT   | OR | ON | 2004/11/10 19:32 |
| S18 | 12  | ((memory near controller) with<br>((program\$5 select\$4<br>configur\$5)near2 (control adj (line<br>lead))))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:52 |
| S52 | 30  | ((memory near controller) same<br>((program\$5 select\$4<br>configur\$5)near2 (control adj (line<br>lead pin))))                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:53 |
| S51 | 28  | ((memory near controller) same<br>((program\$5 select\$4<br>configur\$5)near2 (control adj (line<br>lead))))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:53 |
| S53 | 23  | S52 and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:54 |
| S54 | 6   | ((memory with buffered) with<br>((program\$5 select\$4 configur\$5<br>change\$4)near4 pin))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:58 |



|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S5  | 6    | ((memory with buffered) with ((program\$5 select\$4 configur\$5 change\$4)near2 pin))               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 14:58 |
| S55 | 1880 | ((711/170,104,105).CCLS.) and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/17 16:15 |
| S56 | 7    | ("6023175"   "6060916"   "6094375"   "6151271"   "6279073"   "6335901"   "6337832").PN.             | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | ON | 2004/11/17 17:43 |
| S57 | 0    | ("6782451").URPN.   | USPAT   | OR | ON | 2004/11/17 17:48 |
| S58 | 8    | ("6092146"   "6097883"   "6173382"   "6209074"   "6226729"   "6253278"   "6330637"   "6446158").PN. | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | ON | 2004/11/17 17:49 |
| S59 | 1945 | ((711/170,104,105).CCLS.) and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:06 |
| S22 | 1792 | ((memory near3 controller) with ((program\$5 select\$4 configur\$5)near2 signal))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:06 |
| S62 | 287  | ((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin line)))                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:07 |
| S61 | 67   | S59 and((memory near3 controller) with ((program\$5 select\$4 configur\$5)near2 signal))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:07 |
| S64 | 39   | ((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin)))                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:08 |
| S63 | 200  | S62 and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:08 |



|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S60 | 8    | ((711/170,104,105).CCLS.) and @ad < "20010828") and (buffered and unbuffered)                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:08 |
| S68 | 23   | S67 and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:09 |
| S67 | 31   | ((memory near controller) same ((program\$5 select\$4 configur\$5)near2 (control adj (line lead pin)))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:09 |
| S66 | 29   | ((memory near controller) same ((program\$5 select\$4 configur\$5)near2 (control adj (line lead))))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:09 |
| S65 | 51   | ((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin (control adj line))))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/27 20:09 |
| L2  | 43   | ((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin)))                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:22 |
| L1  | 1960 | ((711/170,104,105).CCLS.) and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:22 |
| L3  | 29   | ((memory near controller) same ((program\$5 select\$4 configur\$5)near2 (control adj (line lead))))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:23 |
| L7  | 201  | L6 and @ad < "20010828"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:24 |
| L6  | 301  | ((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin line)))                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:24 |

|    |     |  |   |    |    |                  |
|----|-----|--|---|----|----|------------------|
| L5 | 23  | L4 and @ad < "20010828"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:24 |
| L4 | 32  | ((memory near controller) same<br>((program\$5 select\$4<br>configur\$5)near2 (control adj (line<br>lead pin)))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:24 |
| L8 | 121 | "I7" and ((clock with<br>((multiplex\$2) mux)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/21 10:25 |